

H. Res. 491

In the House of Representatives, U. S.,

July 28, 1994.

Resolved, That at any time after the adoption of this resolution the Speaker may, pursuant to clause 1(b) of rule XXIII, declare the House resolved into the Committee of the Whole House on the state of the Union for consideration of the bill (H.R. 2448) to improve the accuracy of radon testing products and services, to increase testing for radon, and for other purposes. The first reading of the bill shall be dispensed with. General debate shall be confined to the bill and shall not exceed one hour equally divided and controlled by the chairman and ranking minority member of the Committee on Energy and Commerce. After general debate the bill shall be considered for amendment under the five-minute rule. It shall be in order to consider as an original bill for the purpose of amendment under the five-minute rule the amendment in the nature of a substitute recommended by the Committee on Energy and Commerce now printed in the bill. Each section of the committee amendment in the nature of a substitute shall be considered as read. At the conclusion of

consideration of the bill for amendment the Committee shall rise and report the bill to the House with such amendments as may have been adopted. Any Member may demand a separate vote in the House on any amendment adopted in the Committee of the Whole to the bill or to the committee amendment in the nature of a substitute. The previous question shall be considered as ordered on the bill and amendments thereto to final passage without intervening motion except one motion to recommit with or without instructions.

Attest:

Clerk.